

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/062,546	02/05/2002	Francis Bryselbout	000348-297	3132	
7590 05/17/2006			EXAM	EXAMINER	
E. Joseph Gess			SINES,	SINES, BRIAN J	
BURNS, DOAN	NE, SWECKER & MA	ATHIS, L.L.P.			
P.O. Box 1404			ART UNIT	PAPER NUMBER	
Alexandria, VA 22313-1404			1743		

DATE MAILED: 05/17/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		4			
	Application No.	Applicant(s)			
	10/062,546	BRYSELBOUT, FRANCIS			
Office Action Summary	Examiner	Art Unit			
	Brian J. Sines	1743			
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
Responsive to communication(s) filed on 22 F This action is FINAL. 2b) ☐ This Since this application is in condition for alloware closed in accordance with the practice under E	s action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) Claim(s) 3-8,10-14,16-18,20-24,26-29 and 31 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 3-8,10-14,16-18,20-24,26-29 and 31 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplication and request that any objection to the	wn from consideration. is/are rejected. or election requirement. er. eepted or b) objected to by the l				
Replacement drawing sheet(s) including the correct					
11)☐ The oath or declaration is objected to by the Ex	kaminer. Note the attached Office	Action or form PTO-152.			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	is have been received. is have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s) I) Notice of References Cited (PTO-892)	4) 🔲 Interview Summary				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) B) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail Da				

Application/Control Number: 10/062,546

Art Unit: 1743

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 3 – 8, 10 – 14, 16 – 18, 20 – 24, 26 – 29 and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Honda et al. (U.S. Pat. No. 5,765,397 A) (hereinafter "Honda") in view of Saitoh et al. (U.S. Pat. No. 4,042,332) (hereinafter "Saitoh") and Collings et al. (U.S. Pat. No. 5,073,753) (hereinafter "Collings").

Regarding claims 3-6, 20-24 and 31, Honda teaches an air liquefaction separation process and associated apparatus. Honda indicates that in the process oxygen gas is formed. The gas, which is predominately oxygen also contains very small amounts of hydrocarbons, such as methane, ethane, propane, etc. (see col. 6, lines 49-65). The gas composition is therefore inherently anticipated to comprise of at least 95 % oxygen, methane, and other non-methane hydrocarbons, e.g., propane. The express, implicit, and inherent disclosures of a prior art

reference may be relied upon in the rejection of claims under 35 U.S.C. 102 or 103. "The inherent teaching of a prior art reference, a question of fact, arises both in the context of anticipation and obviousness." *In re Napier*, 55 F.3d 610, 613, 34 USPQ2d 1782, 1784 (Fed. Cir. 1995). (MPEP § 2112).

Honda teaches that substances contained in very small amounts in air, e.g., hydrocarbons, such as methane, ethane and propane, are liable to explode when the concentration of these components exceeds a predetermined level in a high oxygen atmosphere (col. 1, lines 51 – 59). It therefore would accordingly have been obvious to a person of ordinary skill in the art to contemplate the monitoring of these hydrocarbon components in the such a high oxygen atmosphere.

Saitoh teaches a process for the detection of hydrocarbons other than methane in a gas comprising oxygen, methane and hydrocarbons other than methane, wherein the process comprises the stages of: a stage for the detection of the combined hydrocarbons in the gas, providing a first value for the combined or total hydrocarbon content of a sample of gas; a stage of combustion or oxidation of hydrocarbons other than methane; a stage of detection of methane in the gas sample, providing a second value; and a stage of calculation of the amount of hydrocarbons other than methane by the difference between the first and second values (col. 2, lines 1-27).

Regarding claim 7, Saitoh teaches that the hydrocarbons other than methane are subjected to incineration or oxidation using a catalyst (col. 2, lines 1-27).

Regarding claim 8, Saitoh teaches the use of a flame ionization detector (FID detector, 5) (col. 2, lines 1-27).


Art Unit: 1743

Regarding claims 10 & 26, Saitoh teaches that methane is not subjected to oxidation or incineration (col. 2, lines 1-27).

Regarding claim 11, Saitoh teaches an operating temperature of between and including $100 \, ^{\circ}$ C to $200 \, ^{\circ}$ C (col. 2, lines 32 - 41).


Regarding claim 13, Honda teaches the incorporation of a pipe for sample withdrawal (e.g. liquid oxygen withdrawal passage 11) (col. 7, lines 7 – 22; col. 10, lines 41 – 48; figures 1 – 6).

Regarding claims 16 & 17, Saitoh teaches a detection apparatus comprising: a means (flame ionization detector (FID) 5) for the detection of the combined hydrocarbons in a gas, which provides a first value for the combined hydrocarbons; a means (catalyst vessel 2) comprising a catalyst (9) for the combustion of the hydrocarbons other than methane; a means (FID 3) for the detection of methane, which provides a second value; and a means (calculator 6) for the calculation of the amount of hydrocarbons other than methane by the difference between the first and second value (col. 2, lines 1 - 66; figures 1 & 2). Saitoh also teaches a means for introducing gases to be analyzed (col. 2, lines 1 - 27).



Application/Control Number: 10/062,546

Art Unit: 1743



Collings teaches that flame ionization detectors use a hydrogen flame during operation.

Collings teaches that mixtures of hydrogen and buffer gases are often used as the fuel gas for the flame ionization detector (col. 1, lines 23 – 34). Thus, it would have been obvious to a person of ordinary skill in the art to incorporate the use of a means for introducing hydrogen into the disclosed system in order to facilitate effective flame ionization detection for the system.

Additionally, in using a flame ionization detector that is well known in the art to be suitable for performing measurements on oxygen-containing mixtures, it would have been obvious to a person of ordinary skill in the art to use an appropriately specified hydrogen gas flow rate and composition in order to ensure optimal detector performance and effective gas detection.

Regarding claims 14, 18, 28, 29 and 31, Honda teaches an apparatus for separating and purifying oxygen from air. Honda teaches an apparatus comprising: a withdrawal means (liquid oxygen withdrawing passage 11) for the withdrawal of a sample of liquid oxygen; a means (main heat exchanger 4) for the evaporation of liquid oxygen, producing an evaporated gas (col. 5, line 6 – col. 6, line 17; col. 7, lines 30 – 43; figure 6). Honda does not specifically teach the incorporation of a hydrocarbon detection device according to Saitoh, as discussed above.

Although Honda does indicate that the hydrocarbon composition of the liquid oxygen is ascertained after gasification of the liquid oxygen in the main heat exchanger (4) (see col. 7, lines

Application/Control Number: 10/062,546 Page 6

Art Unit: 1743

31 – 67). Hence, it is inherently anticipated that a hydrocarbon detection device is utilized in this measurement (MPEP § 2112). In addition, the use of alarms in gas detection systems, and in particular for detecting explosive or hazardous gases, is notoriously well known in the art (MPEP § 2144.03). As a result, a person of ordinary skill in the art would have recognized the suitability of utilizing the hydrocarbon detection device of Saitoh et al. for the intended purpose of detecting hydrocarbon levels within the purified oxygen (MPEP § 2144.07). Furthermore, a person of ordinary skill in the art would accordingly have had a reasonable expectation for success of utilizing the detection device of Saitoh for detecting hydrocarbon levels within the product stream of the Honda system. The Courts have held that the prior art can be modified or combined to reject claims as *prima facie* obvious as long as there is a reasonable expectation of success. See *In re Merck & Co., Inc.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986) (MPEP § 2143.02). Therefore, it would have been obvious to a person of ordinary skill in the art to incorporate the teachings of Saitoh and Collings with the system of Honda to provide for the limitations of claims 18, 28 and 29.

Regarding claims 12 & 27, Honda in view of Saitoh, as discussed above, teach all of the structure required to perform the recited method, which merely recites the conventional operation of that structure. It would have been obvious to a person of ordinary skill in the art to perform the method recited in the instant claims upon the apparatus, as taught by Honda in view of Saitoh and Collings, as such is the intended operation of that apparatus.

Response to Arguments

Applicant's arguments with respect to the present claims have been considered but are moot in view of the new ground(s) of rejection.

Art Unit: 1743

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian J. Sines whose telephone number is (571) 272-1263. The examiner can normally be reached on Monday - Friday (11 AM - 8 PM EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill A. Warden can be reached on (571) 272-1267. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Buar Suis